Clinica Chimica Acta, Vol. 171

Author index

Adachi, K., see Takata, K.-I. (171) 317

Adair, C.G., Elder, G.E., Lappin, T.R.J., Bridges, J.M. and Nelson, M.G.

Red cell pyrimidine 5'nucleotidase deficiency: determination of nucleotidase activity and nucleotide content using HPLC (171) 75

Arvan, D.A., see Mooney, R.A. (171) 325 Atack, J.R., see Bonham, J.R. (171) 263 Ayling, P., see Colbert, D.L. (171) 37

Baumann, P. and Jonzier-Perey, M. GC and GC-MS procedures for simultaneous phenotyping with dextromethorphan and mephenytoin (171) 211

Bernard, A., Vyskocyl, A., Mahieu, P. and Lauwerys, R. Effect of renal insufficiency on the concentration of free retinol-binding protein in

urine and serum (171) 85 Berry, E., see Farquharson, J. (171) 175 Bertram, G., see Schipper, H.I. (171) 271

Bleiber, R., see Porstmann, T. (171) 1
Bonham, J.R., Dale, G., Scott, D.J., Wagget, J.
and Atack, J.R.

The characterisation of molecular forms of acetylcholinesterase in Hirschsprung's disease (171) 263

Bowling, F.G. and Brown, A.R.D.

Newborn screening for cystic fibrosis using an enzyme linked immunoabsorbent assay (ELISA) technique (171) 257

Boyle, F.A., Cook, N.D. and Peters, T.J. Separation and partial characterization of two galactosyltransferase isoforms from malignant ascitic fluid (171) 187

Bridges, J.M., see Adair, C.G. (171) 75 Brown, A.R.D., see Bowling, F.G. (171) 257

Cieslicki, P., see Laryea, M.D. (171) 11
Colbert, D.L., Gallacher, G., Ayling, P. and
Turner, G.J.
Development of fluoroimmunoassays for the
specific detection of morphine in urine (171)

Cook, N.D., see Boyle, F.A. (171) 187 Cramers, C.A., see De Jong, A.P.J.M. (171) 49

Dagen, M., see Deeny, M. (171) 103
Dale, G., see Bonham, J.R. (171) 263
Deeny, M., Farish, E., Tillman, J., Dagen, M., Hart, D.M. and Fletcher, C.D.
Changes in the bone and liver isoenzymes of alkaline phosphatase in postmenopausal women being treated with norethisterone (171) 103

De Jong, A.P.J.M., Kok, R.M., Cramers, C.A., Wadman, S.K. and Haan, E. A new method for the determination of L-DOPA and 3-O-methyldopa in plasma and cerebrospinal fluid using gas chromatography and electron capture negative ion mass spectrometry (171) 49

De Jong, A.P.J.M., see Jakobs, C. (171) 223 De Verdier, C.-H., see Van Waeg, G. (171) 279 Diekmann, E., see Laryea, M.D. (171) 11 Dorland, L., see Jakobs, C. (171) 223

Elder, G.E., see Adair, C.G. (171) 75 Ericson, Å., see Van Waeg, G. (171) 279

Fairbanks, L.D., see Simmonds, H.A. (171) 197
Fallon, M.A., see Ryan, D.H. (171) 125
Farish, E., see Deeny, M. (171) 103
Farquharson, J., Jamieson, E.C., Berry, E., Sutton, A. and Logan, R.W.
Combined enzymatic assay of phosphatidylglycerol and phosphatidylcholine in amniotic fluid (171) 175
Fletcher, C.D., see Deeny, M. (171) 103
Fräki, J.E., see Harvima, R.J. (171) 247
French, C.A., see Mooney, R.A. (171) 325

Gabreëls, F.J.M., see Van Laack, H.L.J.M. (171) 109 Gallacher, G., see Colbert, D.L. (171) 37 Gowland, E., see Neary, R.H. (171) 239 Groff, J. and Rutkowski, R. Differences in the thermal stability of liver alkaline phosphatase between different ethnic populations (171) 119

Grunow, R., see Porstmann, T. (171) 1

Haan, E., see De Jong, A.P.J.M. (171) 49
Harley, E.H., see Simmonds, H.A. (171) 197
Hart, D.M., see Deeny, M. (171) 103
Harvima, I.T., see Harvima, R.J. (171) 247
Harvima, R.J., Harvima, I.T. and Fräki, J.E.
Optimization of histamine radio enzyme assay with purified histamine-N-methyltransferase (171) 247

Hiroishi, S., Matsuyama, S., Kurooka, S., Sunahara, N., Inoue, S. and Ida, T. Preparation of a monoclonal antibody reactive with pancreatic amylase isoenzyme (171) 335

Horan, P.K., see Ryan, D.H. (171) 125

Ida, T., see Hiroishi, S. (171) 335 Ikezawa, H., see Miura, M. (171) 63 Inoue, S., see Hiroishi, S. (171) 335

Jakobs, C., Dorland, L., Wikkerink, B., Kok, R.M., De Jong, A.P.J.M. and Wadman, S.K. Stable isotope dilution analysis of succinylacetone using electron capture negative ion mass fragmentography: an accurate approach to the pre- and neonatal diagnosis of hereditary tyrosinemia type 1 (223) 223

Jamieson, E.C., see Farquharson, J. (171) 175 Janssen, A.J.M., see Van Laack, H.L.J.M. (171)

Jonzier-Perey, M., see Baumann, P. (171) 211

Kaboth, U., see Schipper, H.I. (171) 271 Kaffarnik, H., see Schneider, J. (171) 305 Kaimoto, H., see Kato, K. (171) 339

Kato, K., Miyamura, M., Yabe, K., Kaimoto, H. and Katsumata, K.

Changes in serum protein characteristics of type I and type II muscle fibers after 400-m sprint (171) 339

Katsumata, K., see Kato, K. (171) 339
Kerkhof, C.M.C., see Van Laack, H.L.J.M. (171)

Kettelhut, B.V. and Metcalfe, D.D.

Quantitation and characterization of urinary glycosaminoglycans in healthy subjects and patients with mastocytosis (171) 29

Kina, K., see Makino, T. (171) 19 Kinoshita, S., see Maehara, M. (171) 311 Kiyonaga, M., see Makino, T. (171) 19 Kok, R.M., see De Jong, A.P.J.M. (171) 49 Kok, R.M., see Jakobs, C. (171) 223 Komoda, T., see Miura, M. (171) 63 Koyama, I., see Miura, M. (171) 63 Kurooka, S., see Hiroishi, S. (171) 335

Lappin, T.R.J., see Adair, C.G. (171) 75
Laryea, M.D., Cieslicki, P., Diekmann, E. and
Wendel, U.
Analysis of the fatty acid composition of
erythrocyte phospholipids by a base cata-

lysed transesterification method — prevention of formation of dimethylacetals (171) 11

Lauwerys, R., see Bernard, A. (171) 85 Logan, R.W., see Farquharson, J. (171) 175

Mabuchi, H., see Tokuda, T.T.T.H.C.K.T. (171) 343

McGorty, B.L., see Mooney, R.A. (171) 325 Maehara, M., Kinoshita, S. and Watanabe, K.

A simple fluorometric method for the determination of serum free carnitine (171) 311

Mahieu, P., see Bernard, A. (171) 85 Makino, T., Kiyonaga, M. and Kina, K.

A sensitive, direct colorimetric assay of serum iron using the chromogen, nitro-PAPS (171)

Maroske, D., see Schneider, J. (171) 305 Matsuyama, S., see Hiroishi, S. (171) 335 Matsuzaki, H., see Miura, M. (171) 63 Meier, M., see Schneider, J. (171) 305

Metcalfe, D.D., see Kettelhut, B.V. (171) 29 Miettinen, T.A., see Tilvis, R.S. (171) 293 Miura, M., Koyama, I., Matsuzaki, H., Sakagishi,

Y., Ikezawa, H. and Komoda, T.

Organ specific properties for human urinary alkaline phosphatases (171) 63

Miyamura, M., see Kato, K. (171) 339

Mooney, R.A., McGorty, B.L., French, C.A. and Arvan, D.A.

An alpha-fetoprotein radioimmunoassay for use in maternal serum screening for Down's Syndrome: limitations and improvements (171) 325

Morris, G.S., see Simmonds, H.A. (171) 197

Neary, R.H. and Gowland, E.

The effect of renal failure and haemodialysis on the concentration of free apolipoprotein A-1 in serum and the implications for the catabolism of high-density lipoproteins (171) 239

Nelson, M.G., see Adair, C.G. (171) 75 Niklasson, F., see Van Waeg, G. (171) 279 Okochi, T., see Takata, K.-I. (171) 317

Peters, T.J., see Boyle, F.A. (171) 187 Porstmann, B., see Porstmann, T. (171) 1 Porstmann, T., Wietschke, R., Schmechta, H.,

Grunow, R., Porstmann, B., Bleiber, R., Stachat, M.P.S. and Von Baehr, R. A rapid and sensitive enzyme immunoassay

A rapid and sensitive enzyme immunoassay for Cu/Zn superoxide dismutase with polyclonal and monoclonal antibodies (171) 1

Ruitenbeek, W., see Van Laack, H.L.J.M. (171)

Rutkowski, R., see Groff, J. (171) 119 Ryan, D.H., Fallon, M.A. and Horan, P.K.

Flow cytometry in the clinical laboratory (171) 125

Saeki, K., see Takata, K.-I. (171) 317 Sakagishi, Y., see Miura, M. (171) 63

Schipper, H.I., Bertram, G. and Kaboth, U. Microheterogeneity of paraproteins. I. Diagnostic value of isoelectric focusing followed by immunoblotting (171) 271

Schmechta, H., see Porstmann, T. (171) 1 Schneider, J., Meier, M., Maroske, D. and Kaffarnik, H.

Apoprotein AII in acute pancreatitis: intriguing improvement in the prediction of fatal outcome (171) 305

Schutgens, R.B.H., see Wanders, R.J.A. (171) 95 Scott, D.J., see Bonham, J.R. (171) 263

Sengers, R.C.A., see Van Laack, H.L.J.M. (171)

Simmonds, H.A., Fairbanks, L.D., Morris, G.S., Webster, D.R. and Harley, E.H. Altered erythrocyte nucleotide patterns are characteristic of inherited disorders of purine

or pyrimidine metabolism (171) 197 Stachat, M.P.S., see Porstmann, T. (171) 1 Sumikawa, K., see Takata, K.-I. (171) 317 Sunahara, N., see Hiroishi, S. (171) 335

Sutton, A., see Farquharson, J. (171) 175

Takata, K.-i., Sumikawa, K., Saeki, K., Okochi, T. and Adachi, K. Improved purification of human liver alkaline phosphatase by phenyl-Depharose column chromatography (171) 317

Taskinen, M.-R., see Tilvis, R.S. (171) 293

Thompson, G.N.

Assessment of taurine deficiency in cystic fibrosis (171) 233

Tillman, J., see Deeny, M. (171) 103

Tilvis, R.S., Taskinen, M.-R. and Miettinen, T.A. Effect of insulin treatment on fatty acids of plasma and erythrocyte membrane lipids in type 2 diabetes (171) 293

Tokuda, T.T.H.C.K.T. and Mabuchi, H. Decreased serum cholesteryl-ester transfer activity in a patient with familial hyperalphalipoproteinemia (171) 343

Trijbels, J.M.F., see Van Laack, H.L.J.M. (171)

Turner, G.J., see Colbert, D.L. (171) 37

Van Laack, H.L.J.M., Ruitenbeek, W., Trijbels, J.M.F., Sengers, R.C.A., Gabreëls, F.J.M., Janssen, A.J.M. and Kerkhof, C.M.C. Estimation of pyruvate dehydrogenase (E₁) activity in human skeletal muscle; three cases with E, deficiency (171) 109

Van Waeg, G., Niklasson, F., Ericson, Å. and De Verdier, C.-H.
Purine metabolism in normal and ITP-pyrophosphohydrolase-deficient human erythrocytes (171) 279

Von Baehr, R., see Porstmann, T. (171) 1 Vyskocyl, A., see Bernard, A. (171) 85

Wadman, S.K., see De Jong, A.P.J.M. (171) 49 Wadman, S.K., see Jakobs, C. (171) 223

Wagget, J., see Bonham, J.R. (171) 263
Wanders, R.J.A., Schutgens, R.B.H. and Zoeters,
P.H.M.

3-Hydroxy-3-methylglutaryl-CoA lyase in human skin fibroblasts: study of its properties and deficient activity in 3-hydroxy-3-methylglutaric aciduria patients using a simple spectrophotometric method (171) 95

Watanabe, K., see Machara, M. (171) 311 Webster, D.R., see Simmonds, H.A. (171) 197 Wendel, U., see Laryea, M.D. (171) 11 Wietschke, R., see Porstmann, T. (171) 1 Wikkerink, B., see Jakobs, C. (171) 223

Yabe, K., see Kato, K. (171) 339

Zoeters, P.H.M., see Wanders, R.J.A. (171) 95

Clinica Chimica Acta, Vol. 171

Subject index

Molecular mass; Centrifugation; Liquid chromatography; Hirschsprung's disease (Bonham, J.R. (171) 263)

Acute pancreatitis

Apoprotein AII (Schneider, J. (171) 305)

Erythrocyte nucleotide; Purine nucleoside phosphorylase; Hypoxanthine-guanine phosphoribosyltransferase; Uridine monophosphate synthase; Pyrimidine 5'-nucleotidase; Phosphoribosylpyrophosphate synthetase (Simmonds, H.A. (171) 197)

Alkaline phosphatase Human liver; Phenyl-Sepharose; Hydrophobic chromatography (Takata, K.-I. (171) 317)

Alkaline phosphatase isoenzymes

Norethisterone; Postmenopausal (Deeny, M. (171) 103)

Allopurinol

Purine metabolism; ITP-pyrophosphohydrolase; Phosphoribosylpyrophosphate; Human erythrocytes (Van Waeg, G. (171) 279)

Amniotic fluid

Phospholipid; Enzymatic assay (Farquharson, J. (171) 175)

Succinylacetone; Urine; Pre- and postnatal diagnosis; Tyrosinemia type I; Stable isotope dilution; Negative ion mass fragmentography (Jakobs, C. (171) 223)

Apoprotein AII

Acute pancreatitis (Schneider, J. (171) 305)

Base catalysed transesterification

Fatty acid composition; Erythrocyte phospholipid; Plasmalogen; Dimethylacetal (Laryea, M.D. (171) 11)

Cystic fibrosis: Taurine deficiency: Leucocyte: Plasma; Urine (Thompson, G.N. (171) 233)

Cancer

Galactosyl transferase; Enzymic isoform; Glycoprotein; Lectin (Boyle, F.A. (171) 187)

Centrifugation

Acetylcholinesterase; Molecular mass; Liquid chromatography; Hirschsprung's disease (Bonham, J.R. (171) 263)

Cerebrospinal fluid DOPA; 3-O-Methyldopa; Plasma; Gas chromatography-electron capture negative ion mass spectrometry: Normal values: Kinetics (De Jong. A.P.J.M. (171) 49)

Chondroitin sulfate

Glycosaminoglycan; Disaccharide; HPLC; Mastocytosis; Urine (Kettelhut, B.V. (171) 29)

Colorimetry

Serum iron; Highly sensitive reagent; Pediatric chemistry (Makino, T. (171) 19)

Cystic fibrosis

Taurine deficiency; Bile acid; Leucocyte; Plasma; Urine (Thompson, G.N. (171) 233)

Cystic fibrosis screening

Immunoreactive trypsin; ELISA; Newborn screening; Dried blood spot; Microtitre tray technology (Bowling, F.G. (171) 257)

Deficiency

Pyruvate dehydrogenase; Human skeletal muscle; Diagnosis (Van Laack, H.L.J.M. (171) 109)

Dextromethorphan

Pharmacogenetics; Mephenytoin; Urine; Gas chromatography; Mass spectrometry (Baumann, P. (171) 211)

Disheter

Serum lipoprotein; Fatty acid; Insulin treatment; Prostanoid (Tilvis, R.S. (171) 293)

Diagnosis

Pyruvate dehydrogenase; Human skeletal muscle; Deficiency (Van Laack, H.L.J.M. (171) 109)

Dimethylacetal

Fatty acid composition; Erythrocyte phospholipid; Base catalysed transesterification; Plasmalogen (Laryea, M.D. (171) 11)

Disaccharide

Glycosaminoglycan; Chondroitin sulfate; HPLC; Mastocytosis; Urine (Kettelhut, B.V. (171) 29)

DOPA

3-O-Methyldopa; Plasma; Cerebrospinal fluid; Gas chromatography-electron capture negative ion mass spectrometry; Normal values; Kinetics (De Jong, A.P.J.M. (171) 49)

Down's Syndrome

alpha-Fetoprotein; Maternal serum screening (Mooney, R.A. (171) 325)

Dried blood spot

Cystic fibrosis screening; Immunoreactive trypsin; ELISA; Newborn screening; Microtitre tray technology (Bowling, F.G. (171) 257)

EI ISA

Cystic fibrosis screening; Immunoreactive trypsin; Newborn screening; Dried blood spot; Microtitre tray technology (Bowling, F.G. (171) 257)

Enzymatic assay

Amniotic fluid; Phospholipid (Farquharson, J. (171) 175)

Enzyme defect

Organic aciduria; Inborn error; HMG-CoA lyase; Ketogenesis (Wanders, R.J.A. (171) 95)

Enzyme immunoassay

Human Cu/Zn SOD; Monoclonal and polyclonal anti-SOD antibodies; SOD serum and urine concentration (Porstmann, T. (171) 1)

Enzymic isoform

Galactosyl transferase; Cancer; Glycoprotein; Lectin (Boyle, F.A. (171) 187)

Erythrocyte nucleotide

Adenosine deaminase; Purine nucleoside phosphorylase; Hypoxanthine-guanine phosphoribosyltransferase; Uridine monophosphate synthase; Pyrimidine 5'-nucleotidase; Phosphoribosylpyrophosphate synthetase (Simmonds, H.A. (171) 197)

Erythrocyte phospholipid

Fatty acid composition; Base catalysed transesterification; Plasmalogen; Dimethylacetal (Laryea, M.D. (171) 11)

Fatty acid

Diabetes; Serum lipoprotein; Insulin treatment; Prostanoid (Tilvis, R.S. (171) 293)

Fatty acid composition

Erythrocyte phospholipid; Base catalysed transesterification; Plasmalogen; Dimethylacetal (Laryea, M.D. (171) 11)

alpha-Fetoprotein

Down's Syndrome; Maternal serum screening (Mooney, R.A. (171) 325)

Flow cytometry

(Ryan, D.H. (171) 125)

Fluorometric method

Free carnitine (Maehara, M. (171) 311)

Free apolipoprotein A-1

High density lipoprotein; Renal failure; Hemodialysis (Neary, R.H. (171) 239)

Free carnitine

Fluorometric method (Maehara, M. (171) 311)

Free retinol-binding protein

β₂-Microglobulin; Renal threshold for tubular reabsorption (Bernard, A. (171) 85)

Galactosyl transferase

Cancer; Enzymic isoform; Glycoprotein; Lectin (Boyle, F.A. (171) 187)

Gas chromatography

Pharmacogenetics; Mephenytoin; Dextromethorphan; Urine; Mass spectrometry (Baumann, P. (171) 211)

Gas chromatography-electron capture negative

DOPA; 3-O-Methyldopa; Plasma; Cerebrospinal fluid; Normal values; Kinetics (De Jong, A.P.J.M. (171) 49)

Galactosyl transferase; Cancer; Enzymic isoform; Lectin (Boyle, F.A. (171) 187)

Glycosaminoglycan

Chondroitin sulfate: Disaccharide: HPLC: Mastocytosis; Urine (Kettelhut, B.V. (171) 29)

Hemodialysis

Free apolipoprotein A-1; High density lipoprotein: Renal failure (Neary, R.H. (171) 239)

High density lipoprotein

Free apolipoprotein A-1; Renal failure; Hemodialysis (Neary, R.H. (171) 239)

Highly sensitive reagent

Serum iron; Colorimetry; Pediatric chemistry (Makino, T. (171) 19)

Hirschsprung's disease

Acetylcholinesterase; Molecular mass; Centrifugation; Liquid chromatography (Bonham, J.R. (171) 263)

Radio enzyme assay; Optimization (Harvima, R.J. (171) 247)

HMG-CoA lyase

Organic aciduria; Inborn error; Ketogenesis; Enzyme defect (Wanders, R.J.A. (171) 95)

Glycosaminoglycan; Chondroitin sulfate; Disaccharide; Mastocytosis; Urine (Kettelhut, B.V. (171) 29)

Pyrimidine nucleotides; Nucleotidase activity; Red cell enzymes (Adair, C.G. (171) 75)

Human Cu/Zn SOD

Enzyme immunoassay; Monoclonal and polyclonal anti-SOD antibodies; SOD serum and urine concentration (Porstmann, T. (171) 1)

Human erythrocytes

Purine metabolism; ITP-pyrophosphohydrolase; Allopurinol; Phosphoribosylpyrophosphate (Van Waeg, G. (171) 279)

an liver

Alkaline phosphatase; Phenyl-Sepharose; Hydrophobic chromatography (Takata, K.-I. (171) 317)

Human skeletal muscle

Pyruvate dehydrogenase: Deficiency: Diagnosis (Van Laack, H.L.J.M. (171) 109)

Hydrophobic chromatography Alkaline phosphatase; Human liver; Phenyl-Sepharose (Takata, K.-I. (171) 317)

Hypoxanthine-guanine phosphoribosyltransfer-

Erythrocyte nucleotide; Adenosine deaminase; Purine nucleoside phosphorylase: Uridine monophosphate synthase; Pyrimidine 5'-nucleotidase; Phosphoribosylpyrophosphate synthetase (Simmonds, H.A. (171) 197)

Polarization fluoroimmunoassay (Colbert, D.L. (171) 37)

Immunoblotting

Monoclonal immunoglobulin; Paraprotein microheterogeneity; Isoelectric focusing (Schipper, H.I. (171) 271)

Immunoreactive trypsin

Cystic fibrosis screening: ELISA: Newborn screening; Dried blood spot; Microtitre tray technology (Bowling, F.G. (171) 257)

Inborn error

Organic aciduria; HMG-CoA lyase; Ketogenesis; Enzyme defect (Wanders, R.J.A. (171) 95)

Insulin treatment

Diabetes; Serum lipoprotein; Fatty acid; Prostanoid (Tilvis, R.S. (171) 293)

Isoelectric focusing

Monoclonal immunoglobulin; Paraprotein microheterogeneity; Immunoblotting (Schipper, H.I. (171) 271)

ITP-pyrophosphohydrolase

Purine metabolism; Allopurinol; Phosphoribosylpyrophosphate; Human erythrocytes (Van Waeg, G. (171) 279)

Organic aciduria; Inborn error; HMG-CoA lyase; Enzyme defect (Wanders, R.J.A. (171) 95)

Kinetics

DOPA; 3-O-Methyldopa; Plasma; Cerebrospinal fluid; Gas chromatography-electron capture negative ion mass spectrometry; Normal values (De Jong, A.P.J.M. (171) 49)

Lastin

Galactosyl transferase; Cancer; Enzymic isoform; Glycoprotein (Boyle, F.A. (171) 187)

Lectin affinity

Urinary alkaline phosphatase; Source of origin; Protease inhibitor; Phosphatidylinositol (human urine) (Miura, M. (171) 63)

Leucocyte

Cystic fibrosis; Taurine deficiency; Bile acid; Plasma; Urine (Thompson, G.N. (171) 233)

Liquid chromatography

Acetylcholinesterase; Molecular mass; Centrifugation; Hirschsprung's disease (Bonham, J.R. (171) 263)

Mass spectrometry

Pharmacogenetics; Mephenytoin; Dextromethorphan; Urine; Gas chromatography (Baumann, P. (171) 211)

Mastocytosis

Glycosaminoglycan; Chondroitin sulfate; Disaccharide; HPLC; Urine (Kettelhut, B.V. (171) 29)

Maternal serum screening

alpha-Fetoprotein; Down's Syndrome (Mooney, R.A. (171) 325)

Mephenytoin

Pharmacogenetics; Dextromethorphan; Urine; Gas chromatography; Mass spectrometry (Baumann, P. (171) 211)

3-O-Methyldopa

DOPA; Plasma; Cerebrospinal fluid; Gas chromatography-electron capture negative ion mass spectrometry; Normal values; Kinetics (De Jong, A.P.J.M. (171) 49)

β₂-Microglobulin

Free retinol-binding protein; Renal threshold for tubular reabsorption (Bernard, A. (171) 85)

Microtitre tray technology

Cystic fibrosis screening; Immunoreactive trypsin; ELISA; Newborn screening; Dried blood spot (Bowling, F.G. (171) 257)

Molecular mass

Acetylcholinesterase; Centrifugation; Liquid chromatography; Hirschsprung's disease (Bonham, J.R. (171) 263)

Monocional and polyclonal anti-SOD antibodies

Human Cu/Zn SOD; Enzyme immunoassay; SOD serum and urine concentration (Porstmann, T. (171) 1)

Monoclonal immunoclobulin

Paraprotein microheterogeneity; Isoelectric focusing; Immunoblotting (Schipper, H.I. (171) 271)

Negative ion mass fragmentography

Succinylacetone; Urine; Amniotic fluid; Pre- and postnatal diagnosis; Tyrosinemia type I; Stable isotope dilution (Jakobs, C. (171) 223)

Newborn screening

Cystic fibrosis screening; Immunoreactive trypsin; ELISA; Dried blood spot; Microtitre tray technology (Bowling, F.G. (171) 257)

Norethisterone

Alkaline phosphatase isoenzymes; Postmenopausal (Deeny, M. (171) 103)

Normal values

DOPA; 3-O-Methyldopa; Plasma; Cerebrospinal fluid; Gas chromatography-electron capture negative ion mass spectrometry; Kinetics (De Jong, A.P.J.M. (171) 49)

Nucleotidase activity

HPLC; Pyrimidine nucleotides; Red cell enzymes (Adair, C.G. (171) 75)

Optimization

Histamine; Radio enzyme assay (Harvima, R.J. (171) 247)

Organic aciduria

Inborn error; HMG-CoA lyase; Ketogenesis; Enzyme defect (Wanders, R.J.A. (171) 95)

Paraprotein microheterogeneity

Monoclonal immunoglobulin; Isoelectric focusing; Immunoblotting (Schipper, H.I. (171) 271) Pediatric chemistry

Serum iron: Highly sensitive reagent; Colorimetry (Makino, T. (171) 19)

Mephenytoin: Dextromethorphan: Urine: Gas chromatography: Mass spectrometry (Baumann, P. (171) 211)

Phenyl-Sepharose

Alkaline phosphatase; Human liver; Hydrophobic chromatography (Takata, K.-I. (171) 317)

Phosphatidylinositol (human urine)

Urinary alkaline phosphatase; Source of origin; Lectin affinity: Protease inhibitor (Miura, M. (171) 63)

Phospholipid

Amniotic fluid; Enzymatic assay (Farquharson, J. (171) 175)

Phosphoribosylpyrophosphate

Purine metabolism; ITP-pyrophosphohydrolase; Allopurinol; Human erythrocytes (Van Waeg, G. (171) 279)

Phosphoribosylpyrophosphate synthetase Erythrocyte nucleotide; Adenosine deaminase; Purine nucleoside phosphorylase; Hypoxanthine-guanine phosphoribosyltransferase; Uridine monophosphate synthase; Pyrimidine 5'nucleotidase (Simmonds, H.A. (171) 197)

DOPA; 3-O-Methyldopa; Cerebrospinal fluid; Gas chromatography-electron capture negative ion mass spectrometry; Normal values; Kinetics (De Jong, A.P.J.M. (171) 49)

Cystic fibrosis; Taurine deficiency; Bile acid; Leucocyte; Urine (Thompson, G.N. (171) 233)

Fatty acid composition; Erythrocyte phospholipid: Base catalysed transesterification: Dimethylacetal (Laryea, M.D. (171) 11)

Polarization fluorois

Immunoassay (Colbert, D.L. (171) 37)

Alkaline phosphatase isoenzymes; Norethisterone (Deeny, M. (171) 103)

Pre- and postnatal diagnosis

Succinvlacetone: Urine: Amniotic fluid: Tyrosinemia type I; Stable isotope dilution; Negative ion mass fragmentography (Jakobs, C. (171) 223)

Diabetes; Serum lipoprotein; Fatty acid; Insulin treatment (Tilvis, R.S. (171) 293)

Protease inhibitor

Urinary alkaline phosphatase: Source of origin: Lectin affinity; Phosphatidylinositol (human urine) (Miura, M. (171) 63)

Purine metabolism

ITP-pyrophosphohydrolase; Allopurinol; Phosphoribosylpyrophosphate; Human erythrocytes (Van Waeg, G. (171) 279)

Purine nucleoside phosphorylase Erythrocyte nucleotide; Adenosine deaminase; Hypoxanthine-guanine phosphoribosyltransferase; Uridine monophosphate synthase; Pyrimidine 5'-nucleotidase: Phosphoribosylpyrophosphate synthetase (Simmonds, H.A. (171) 197)

Pyrimidine 5'-nucleotidase

Erythrocyte nucleotide; Adenosine deaminase; Purine nucleoside phosphorylase; Hypoxanthine-guanine phosphoribosyltransferase; Uridine monophosphate synthase; Phosphoribosylpyrophosphate synthetase (Simmonds, H.A. (171) 197)

Pyrimidine nucleotides

HPLC; Nucleotidase activity; Red cell enzymes (Adair, C.G. (171) 75)

Pyruvate dehydrogenase

Human skeletal muscle; Deficiency; Diagnosis (Van Laack, H.L.J.M. (171) 109)

Radio enzyme assay

Histamine; Optimization (Harvima, R.J. (171) 247)

Red cell enzymes

HPLC; Pyrimidine nucleotides; Nucleotidase activity (Adair, C.G. (171) 75)

Renal failure

Free apolipoprotein A-1; High density lipoprotein: Hemodialysis (Neary, R.H. (171) 239)

Renal threshold for tubular reabsorption

Free retinol-binding protein; β2-Microglobulin (Bernard, A. (171) 85)

Serum iron

Highly sensitive reagent; Colorimetry; Pediatric chemistry (Makino, T. (171) 19)

Serum lipoprotein

Diabetes: Fatty acid: Insulin treatment: Prostanoid (Tilvis, R.S. (171) 293)

SOD serum and urine concentration

Human Cu/Zn SOD; Enzyme immunoassay; Monoclonal and polyclonal anti-SOD antibodies (Porstmann, T. (171) 1)

Source of origin

Urinary alkaline phosphatase; Lectin affinity; Protease inhibitor; Phosphatidylinositol (human urine) (Miura, M. (171) 63)

Stable isotope dilution

Succinvlacetone; Urine; Amniotic fluid; Pre- and postnatal diagnosis; Tyrosinemia type I; Negative ion mass fragmentography (Jakobs, C. (171) 223)

Succinylacetor

Urine; Amniotic fluid; Pre- and postnatal diagnosis; Tyrosinemia type I; Stable isotope dilution; Negative ion mass fragmentography (Jakobs, C. (171) 223)

Taurine deficiency

Cystic fibrosis; Bile acid; Leucocyte; Plasma; Urine (Thompson, G.N. (171) 233)

Tyrosinemia type I

Succinvlacetone: Urine: Amniotic fluid: Pre- and postnatal diagnosis; Stable isotope dilution; Negative ion mass fragmentography (Jakobs, C. (171) 223)

Uridine monophosphate synthase Erythrocyte nucleotide; Adenosine deaminase; Purine nucleoside phosphorylase; Hypoxanthine-guanine phosphoribosyltransferase; Pyrimidine 5'-nucleotidase; Phosphoribosylpyrophosphate synthetase (Simmonds, H.A. (171)

Urinary alkaline phosphatase Source of origin; Lectin affinity; Protease inhibitor; Phosphatidylinositol (human urine) (Miura, M. (171) 63)

Urine

Glycosaminoglycan: Chondroitin sulfate: Disaccharide; HPLC; Mastocytosis (Kettelhut, B.V. (171) 29)

Pharmacogenetics; Mephenytoin; Dextromethorphan; Gas chromatography; Mass spectrometry (Baumann, P. (171) 211)

Cystic fibrosis; Taurine deficiency; Bile acid; Leucocyte; Plasma (Thompson, G.N. (171) 233)

Succinylacetone; Amniotic fluid; Pre- and postnatal diagnosis; Tyrosinemia type I; Stable isotope dilution; Negative ion mass fragmentography (Jakobs, C. (171) 223)